



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/643,512	08/19/2003	Timothy W. Kaufmann	DP-307433/DP-309396	4499

7590 12/15/2004

KEITH J. MURPHY
CANTOR COLBURN LLP
55 Griffin Road South
Bloomfield, CT 06002

EXAMINER

BASINGER, SHERMAN D

ART UNIT	PAPER NUMBER
----------	--------------

3617

DATE MAILED: 12/15/2004

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO/ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
--------------------------------	-------------	---	---------------------

10/643,512

EXAMINER

ART UNIT	PAPER
----------	-------

20041213


DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

1. The reply filed on November 15, 2004 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): the amendment is not compliant with the revised amendment practice effective July 30, 2002 for the reasons set forth below. See 37 CFR 1.111. Since the above-mentioned reply appears to be bona fide, applicant is given ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

2. The text of all claims being currently amended was not presented with markings to indicate the changes that have been made relative to the immediate prior version.


Sherman D. Basinger
Primary Examiner
Art Unit: 3617
12/13/04